

Headquarters
Eighth United States Army
Installation Management Command
Korea

Army in Korea
Regulation 380-20

5 December 2009

Security

EIGHTH US ARMY SECURITY GUIDE FOR ABRAMS TANK SYSTEM

*This regulation supersedes Eighth U.S. Army Regulation 380-20, 07 February 1991.

FOR THE COMMANDER:

LEWIS F. SETLIFF III
Colonel, GS
Chief of Staff

Official:



GARRIE BARNES
Chief, Publications and
Records Management

Summary. This regulation provides the minimum security standards to be followed within the Republic of Korea (RoK) for the uniform handling of the Abrams Tank System.

Applicability. This regulation applies to all activities and other elements within the ROK having any involvement with the Abrams Tank System. This regulation supersedes all previous policy on this subject and will be reviewed annually and updated as necessary.

Forms. USFK forms are available at http://8tharmy.korea.army.mil/g1_ag/.

Supplementation. Issue of further supplements to this regulation by subordinate commands is prohibited unless prior approval is obtained from HQ 8th US Army ATTN: ACofS, G2 Program Security Manager, APO 96205-0009.

Records Management. Records created as a result of processes prescribed by this regulation must be identified, maintained, and disposed of according to AR 25-400-2. Record titles and descriptions are available on the Army Records Information Management System (ARIMS) website at <https://www.arims.army.mil>.

Suggested Improvements. The proponent of this regulation is the 8th Office of the Assistant Chief of Staff, G2. Users are invited to send comments and suggested improvements on DA Form 2028 (Recommended Changes to Publications and Blank Forms) to the Commander, 8th US Army APO 96205-0009.

Distribution. Electronic Media Only (EMO).

Special Distribution.

50 – 8th US Army ACoS, G2

15 - Cdr, 2d Infantry Division, ATTN: EAIDGI, APO 96224-0289

5 - Cdr, 19th ESC, ATTN: EANC-GO-I

5 - Cdr, 501st M I Brigade

5 - Cdr, MSC-K

CONTENTS

Chapter 1

General, *page 5*

- 1-1. Purpose
- 1-2. References
- 1-3. Explanation of Abbreviations
- 1-4. Responsibilities
- 1-5. Policy

Chapter 2

Access to the Abrams Tank System, *page 7*

- 2-1. General
- 2-2. Media Coverage
- 2-3. International Treaty Observer (ITO) Access to the Abrams Tank System

Chapter 3

Physical Security, *page 9*

- 3-1. General
- 3-2. Motor Pool Security
- 3-3. Field Security
- 3-4. Port Security

Chapter 4

Personnel Security Requirements, *page 11*

- 4-1. Non-U.S. Citizen Employee Screening Program
- 4-2. U.S. Military and Civilian Personnel

Chapter 5

Special Armor and Other Classified Components, *page 12*

- 5-1. General
- 5-2. Storage Requirements for Special Armor
- 5-3. Damage/Incident Security Procedures
- 5-4. Procedures for Reporting Damage/Incidents
- 5-5. Evacuation Procedures for Damaged Components

Chapter 6

Transportation Security, *page 15*

- 6-1. General
- 6-2. Rail Movement
- 6-3. Unit Movement

Contents (Cont')

Appendixes, page 18

- A. DA Form 5750-R (Inadvertent Disclosure Oath)
- B. Abrams Pre-Shipment Inspection--Unit Shipment

Glossary, page 20

Chapter 1 General

1-1. Purpose

This regulation supplements the Security Classification Guide for the Abrams Tank System issued by the Program Executive Officer (PEO), Close Combat Vehicles, U.S. Army Tank-Automotive Command, PEO, Warren, MI 48397-5000. This regulation provides the minimum security standards to be followed within the Republic of Korea (RoK) for the uniform handling of the Abrams Tank System. 8th US Army unit commanders may impose stricter security standards than those stated in this regulation, but they may not impose lesser measures.

1-2. References

a. Required Publication: Security Classification Guide for the Abrams Tank System, effective 30 June 2005, and all changes thereto.

b. Related Publications:

- (1) AR 190-11 Physical Security of Arms, Ammunition and Explosives.
- (2) AR 190-13 The Army Physical Security Program.
- (3) AR 190-14 Carrying of Firearms and Use of Force for Law Enforcement and Security Duties.
- (4) AR 190-51 Security of Unclassified Army Property (Sensitive and Nonsensitive)
- (5) AR 380-381 Special Access Program (SAPS) and Sensitive Activities.

1-3. Explanation Of Abbreviations

Abbreviations used in this regulation are explained in the glossary.

1-4. Responsibilities

a. The 8th US Army Assistant Chief of Staff (ACofS), G2 will:

(1) Act as the 8th US Army single point of contact in the development and oversight of a program within the ROK which implements the security requirements contained in the Abrams Tank System Security Classification Guide and this regulation.

(2) Assess the overall effectiveness of local implementation of personnel, information, and physical security requirements on an annual basis, update implementing guidance as necessary and forward recommendations for program wide changes to the Program Manager, PEO of GCS standards or other authority required.

(3) Ensure a vulnerability assessment is conducted annually of each activity involved in use, storage, or maintenance of the Tank. The vulnerability assessment will determine the effectiveness of the local commander's implementation of personnel, information, physical security, and operations security requirements. A written report with recommendations for improvement to commanders concerned will be submitted upon completion of each assessment.

(4) Report security violations, incidents, and compromises to the Program Executive Officer, Armored Systems Modernization, PED or other authority as they occur.

b. The Garrison Director of Emergency Services will - -

(1) Conduct a physical security inspection of the MEVA designated storage facility every 18 months.

(2) Provide physical security guidance to unit commanders on arms storage.

c. Commanders responsible for storage and security of the Abrams Tank will - -

(1) Comply with this regulation and the above references.

(2) Ensure uploaded tanks are secured under provisions of AR 190-11.

(3) Ensure guard orders and access rosters are current and developed for unit guard personnel assigned duties for security of the Abrams Tank.

(4) Designate the storage area a MEVA and notify the Garrison Commander of such designation.

d. The Public Affairs Officer, 8th US Army will:

(1) Ensure all public announcements, film, radio, television, and other media coverage of the Abrams Tank are coordinated beforehand with the 8th US Army G2 Security Manager Unit 15236 APO 96205-0009.

(2) Ensure the security requirements contained in the Security Classification Guide (Section I, paragraph 2) are understood and followed by all media personnel covering the Abrams Tank.

e. The ACoS, G2, 2d Infantry Division will- -

(1) Appoint a primary point of contact to oversee the local compliance of security requirements for the Tank.

(2) Implement the security requirements contained in this regulation to protect the Abrams Tank during transport, while in garrison, and during deployment for testing and exercises.

(3) Coordinate with unit S2 to ensure security guard protection for the tank in accordance with the minimum requirements in this regulation.

(4) Immediately report all security violations, incidents, and compromises involving the Tank to the 8th US Army G2 Security Manager, (Phone: 723-3378/8048) as they occur.

f. Heads of Staff elements, EUSA commanders, and other activities within the ROK involved in any way with the Abrams Tank will follow the provisions in this publication and will report incidents of noncompliance or other problems to the 8th US Army G2 Security Manager, APO 96205-0009 (Phone: 723-3378/723-8048).

1-5. Policy

As required by Headquarters, Department of the Army and PEO of GCS standards, the 8th US Army objective is to maintain U.S. control of the Abrams Tank System at all times to reduce the risk of compromise of the armor, technology, capabilities and vulnerabilities of the Tank.

Chapter 2 Access to the Abrams Tank System

2-1. General

a. Access requirements. Only appropriately cleared U.S. military, Department of Defense (DOD) civilians personnel will be permitted physical access to the Abrams Tank based on "need-to-know". Non-U.S. citizen employees performing maintenance on the Abrams Tank must be under constant observation and supervision by appropriately cleared U.S. military and DoD civilian personnel while accessing the Tank. "Physical access" is defined as being close enough to come into physical contact with the tank.

b. Access by Non-U.S. citizen employees.

(1) Non-U.S. citizen employee(s) permitted access to the Abrams are those employees whose duties are directly related to the security or maintenance of the vehicle. Foreign national employees must undergo security investigations based upon level of access to the Abrams Tank. (See chapter 4 for guidance.)

(2) Non-U.S. citizens are permitted limited access to Restricted Areas used for the storage of special armor components detached from the tanks. While accessing the area, they will be accompanied by appropriately cleared U.S. military and DoD civilian personnel. (See paragraph 2-1c and Chapter 5 for additional information.)

(3) Security managers will maintain rosters of all foreign national employees assigned to maintain or guard the Abrams Tank. These rosters will include The Korean identification (KID) number, duty position, type of investigation performed, and date access was granted. These rosters will be reviewed quarterly and updated as necessary.

(4) Foreign nationals, under no circumstances, are permitted access to U.S. classified information regarding the Abrams Tank.

(5) Foreign national maintenance employees will undergo security checks every hour by a properly cleared U.S. national designated for performing such security checks.

c. Access to detached special armor component.

(1) Persons granted unlimited access to special armor components detached from the tank must meet the following criteria:

(a) U.S. military or DOD civilian personnel.

(b) Possess, at a minimum, a SECRET clearance.

(c) Have been granted access in writing by the commander or the commander's appointee by virtue of an access roster.

(2) Foreign nationals and uncleared U.S. citizens may be granted limited access to the storage area provided they are under constant observation and accompanied by appropriately cleared and assigned U.S. military and DoD civilian personnel

d. Access to special access programs.

(1) Access to Abrams-associated special access programs requires additional access controls. Requests regarding such access should be referred through the local security manager or S2 to the 8th US Army G2 Chief of Security, HQ 8th US Army Unit 15236 APO AP 96205-0009.

(2) Any unit-level listing of personnel indoctrinated to an Abrams-associated special access program with a compilation of five or more names will be classified CONFIDENTIAL collateral. A compilation of four names or less is UNCLASSIFIED, however, it should be treated as sensitive information.

e. Access by members of the Combined Forces Command (CFC), U.S. Forces, Korea (USFK) and other elements within the ROK. Members of CFC components and USFK elements, as well as civilian dignitaries may be granted physical access to the Abrams Tank under the following conditions:

(1) Access to the Abrams Tank may be granted by the battalion commander while the vehicle is on a Federal installation.

(2) Access to the Abrams Tank while the vehicle is not on a U.S. military installation must be granted by the first U.S. General Officer in the chain of command indoctrinated to the special program for the Abrams Tank.

(3) CFC and USFK members, foreign nationals, and dignitaries granted access will be observed and escorted at all times by appropriately cleared U.S. military or DOD civilian personnel knowledgeable of the Abrams system. For entry into the crew compartment, the escort will be an appropriately cleared U.S. military and/or DoD civilian personnel knowledgeable of the Abrams Tank.

(4) Unrestricted access to the Abrams is not authorized.

(5) Photography of the interior compartment of the Abrams may be granted by the first General Officer in the chain of command indoctrinated to the Abrams Special Access Program.

(6) Discussions or display of classified information or components is not authorized.

(7) When deployed in the field, physical access to the Abrams by the general public will be denied.

2-2. Media Coverage

a. Unrestricted access to the Abrams by the media is not authorized.

b. The media may provide coverage of the Abrams Tank System under the following conditions:

(1) All media coverage, to include planned or anticipated coverage (such as, America Forces Network (AFN) television and radio, local and national newspapers) must be coordinated and approved beforehand with the local unit security manager or S2, the Public Affairs Office (PAO), and the HQ 8th US Army Abrams Program Security Manager.

(2) Media personnel will be escorted at all times by an appropriately cleared U.S. military or DoD civilian personnel knowledgeable of the Abrams Tank System.

(3) Photographing or filming of the exterior of the Abrams is permitted.

(4) Photography of the interior of the Abrams Tank must be approved by the first U.S. General Officer within the chain of command indoctrinated to the special access program for the tank.

(5) Static displays of Abrams Tank are authorized on Federal installations. Special off-post displays of the Abrams Tank System to enhance the relationship of the community must be done with the approval of the first General Officer in the chain of command indoctrinated to the Special Access Program of the Abrams Tank.

(6) No discussion or display of classified information or components is authorized during the media visit.

c. Each unit/PAO will provide HQ 8th US Army G2 ATTN: Chief of Security, Unit 15236 APO 96205-0009, with the names and affiliation of media personnel requesting coverage of the Abrams.

2-3. International Treaty Observer (ITO) Access To The Abrams Tank System

ITO observers may be granted limited access to the Abrams under the same conditions outlined for media personnel.

Chapter 3 Physical Security

3-1. General

a. The Abrams is to be treated as an up-loaded tank which must be physically safeguarded at all times. Tanks stored within the fenced perimeter of a Federal installation will be checked by appropriately cleared U.S. military and/or DoD civilian security personnel every hour when not under operational control. Tanks off the installation must never be left unattended for any reason; they must be under constant observation by a responsible individual at all times.

b. Damaged special armor components will be protected from unauthorized personnel. When damage to the special armor skirts has occurred unauthorized personnel refers to all foreign national and U.S. citizens who do not possess a SECRET clearance. In case of a damaged armor of the turret unauthorized personnel refers to all foreign nationals and U.S. citizens not indoctrinated to the special access program for the Abrams. Any person who fits the criteria for an unauthorized person and has viewed damaged special armor components will sign DA Form 5750-

R (Inadvertent Disclosure Oath). (Appendix A contains a blank copy DA Form 5750-R, which may locally reproduced on 8 1/2 by 11-inch paper.) See paragraphs 5-3 and 5-4 for specific reporting procedures of damaged armor components.

3-2. Motor Pool Security

a. The facility containing the Abrams tank will be designated a "Restricted Area IAW AR 190-13 and AR 190-51 and will be posted accordingly.

b. All hatches on the tank will be secured from the inside with the exception of the loader's hatch. The loader's hatch will be closed and secured from the outside by a "Series 200" lock.

c. "Security personnel," defined as U.S. and KATUSA personnel, must check the motor pool at a minimum of once every hour to ensure that unauthorized personnel are not within the motor pool area and that the tanks have not been tampered.

d. Unannounced security checks will be conducted by appropriately cleared U.S. military, DoD civilian personnel and/or the unit Staff Duty Officer (SDO), in addition to checks by security personnel stated in the previous paragraph, or at a minimum of twice before midnight and twice after midnight on weekdays. At the discretion of the installation commander or other responsible authority, security checks should be increased during weekends, holidays, and periods of increased vigilance due to a threat situation.

e. Unit commanders will establish access procedures for both duty and non-duty hours. The guard force will be given written procedures to be followed if a person attempts entry after duty hours.

f. If guards are armed, provisions of AR 190-14 apply.

3-3. Field Security

a. Should it become necessary for the tank crew to leave the Abrams tank for any reason, at least one appropriately cleared U.S. military member of the tank crew must remain with the tank at all times.

b. Damage to the special armor of the tank in field incidents will be reported immediately to either the chain of command or immediate supervisor and to the security manager or S2 of the owning unit. The damaged area is to be covered with whatever is available (such as ponchos, blankets, tarpaulins, mud, etc.) to protect the damaged area from being seen by unauthorized personnel. See chapter 5 for guidance on reporting damage to special armor components.

3-4. Port Security

a. The Port of Pusan, South Korea, Pier 8, is the only peacetime port of entry (POE) for Abrams Tanks in and out of Korea.

b. Security responsibility for Abrams Tanks arriving at the Port of Pusan will pass from the ship's Captain to the receiving unit upon off-loading from the ship. The Abrams will be transferred directly from the ship to U.S. control and will remain in continuous U.S. control.

c. The 8th Army Provost Marshal will coordinate for security at the Port of Pusan during initial off-loading and subsequent rail shipment of the Abrams. Unless otherwise directed the owning unit is responsible for securing equipment. Appropriately cleared US military or DoD civilian personnel will provide continuous security observation during off-loading from the ship, rail loading, and subsequent transportation to the de-processing area at Camp Carroll. Local National support will be requested to assist with traffic control.

d. An Abrams pre-shipment inspection checklist (see Security Classification Guide, annex A) for each tank will be completed in coordination with the ship's captain or captain's representative and personnel assuming security responsibility. Each tank will be inspected separately, and discrepancies will be noted on the checklist. Damage or incidents will be handled as stated in chapters 5 and 6.

Chapter 4 Personnel Security Requirements

4-1. Non-U.S. Citizen Employee Screening Program

a. General.

(1) All non-U.S. citizen employees working on or in the Abrams Tank System in Korea will undergo a security screening prior to being authorized access to the Abrams Tank. The type of security screening will depend on the individual's duty place and position.

(2) Non-U.S. citizen personnel are not authorized access to U.S. classified information about the Abrams Tank regardless of what security investigation they have undergone.

b. Maintenance personnel.

(1) Non-U.S. citizen maintenance personnel for the Abrams Tank must have a favorably adjudicated Limited Access Authorization (LAA) before being granted authorization to access the Abrams.

(2) An LAA consists of the following:

(a) A Defense Central Index of Investigations (DCII) check.

(b) U.S. military law enforcement and security checks.

(c) Korean national agency checks (law enforcement and intelligence).

(d) A crime records check (the standard pre-employment check on all foreign nationals)

(3) Details on completing the LAA packet may be obtain by contacting the unit security manager or the 8th US Army G2 Security Division at 723-6890 or send an e-mail to: EAG2SMO@KOREA.ARMY.MIL.

c. KATUSA personnel.

(1) KATUSA personnel are authorized to be assigned to any position on the Abrams. Further, every tank crew must include at least one appropriately cleared U.S. military soldier assigned to perform duties within the turret.

(2) As with all non-U.S. citizen guards or employees, KATUSA personnel posted to guard the Abrams Tank must be checked every hour by appropriately cleared U.S. military or DoD civilian personnel.

(3) KATUSA personnel must not have access to classified information regarding the Abrams Tank.

4-2. U.S. Military And Civilian Personnel

a. A current security clearance is required for personnel requiring unlimited access to storage areas containing special armor components of the tank stored separately from the tank. Upon completion of the appropriate investigation, U.S. military and DoD civilian personnel requiring unlimited access to classified components of the Abrams Tank program will be added to an authorization roster retained by the unit S2 (see paragraph 2-1).

b. Personnel requiring limited access to storage areas containing special armor components, such as to assist with the removal of a component, do not require a security clearance, however, they must be accompanied by an appropriately cleared U.S. military or DoD civilian personnel with unlimited access.

Chapter 5 Special Armor and Other Classified Components

5-1. General

Special armor components (skirts and gunshields) have been assigned physical security code "S." Therefore, specific requirements must be followed in the storage and handling of these components. *NOTE:* Armored skirts do not have to be removed during normal storage. Skirts are only removed at the discretion of the user, such as during maintenance. Detached skirts will be protected as outlined in this chapter and in the PEO of GCS standards.

5-2. Storage Requirements For Special Armor

Responsible unit commanders will ensure special armor components are properly safeguarded and accounted for at all times. Special armor components removed from the tank will be stored and safeguarded as follows:

a. Special armor components detached from the Abrams Tank are to be treated, secured, and accounted for as SECRET material IAW AR 380-5.

b. Special armor components detached from the Abrams Tank should be stored in an area that affords equal or greater protection than that of an arms room (see AR 190-11).

c. The commander will designate in writing those appropriately cleared U.S. military or DoD civilian personnel, with the appropriate SECRET clearance, permitted unlimited access to a storage facility containing detached special armor components (see paragraph 2-1c).

d. The storage areas will be designated as "Restricted Areas" IAW AR 190-13 when special armor components are stored within.

e. Key and lock procedures will be applied IAW AR 190-11, paragraph 3-8. Foreign national personnel will not have access to the keys.

f. Access to the storage area containing special armor skirts and components will be controlled. An access roster similar to those used for an arms room or another method of absolute control will be used. Access will be limited to the lowest number of individuals requiring access to the storage facility.

g. Non-U.S. citizens and uncleared U.S. citizens will not be permitted unlimited access to the storage facility unless accompanied by an appropriately cleared U.S. military or DoD civilian personnel at all times.

h. Designated personnel will make physical security checks of the storage area containing special armor components. Physical checks will consist of ensuring that the storage area itself is secure. If the storage area shows evidence of tampering, the Staff Duty Officer (SDO) and the security manager will be notified immediately.

5-3. Damage/Incident Security Procedures

a. Periodic inspections of the Abrams Tank and special armor components will be performed to detect signs of damage or breaches in armor that may have occurred.

b. Special armor components that have been damaged will be covered to avoid observation. The breached area will be covered by whatever is available, such as a poncho, blanket, field jacket, mud, etc.

c. Any incident which results in damage to the armor must be reported to the chain of command and unit security manager or S2. A member of the chain of command will then report the incident to the 8TH US Army G2 Security Manager.

d. Before initiating repairs on damaged special armor components, a qualified maintenance officer or technician should determine whether the affected skirt(s) should be repaired or replaced. If a repair is to be made, the personnel making the repairs should carefully review the PEO of GCS standards.

e. Use extreme caution if it becomes necessary to weld a patch to the armor of the turret. The armor of the turret is constructed of Depleted Uranium and is extremely pyrophoric (burns very well).

f. Personnel making repairs to special armor components where the exterior surface has been breached must possess a SECRET clearance. If it is necessary to use uncleared personnel to expedite repairs, DA Form 5750-R must be completed by the individuals involved.

5-4. Procedures For Reporting Damage/Incidents

a. Within 24 hours of an initial telephone report to the 8th US Army G2 Security Manager an encrypted e-mail message report will be sent to EAG2SMO@KOREA.ARMY.MIL giving at a minimum, the following details:

- (1) Date/time of initial discovery.
- (2) Location of the incident/discovery of damage.
- (3) Individual (s) making discovery.
- (4) Present location of damaged tank/special armor component.
- (5) Unit (s) involved.
- (6) Personnel involved, including any foreign national personnel who may have observed the damaged area (name, nationality, SSN or KID number, whichever is applicable, clearance information).
- (7) Circumstances of damage/incident.
- (8) Action(s) taken:
 - (a) Evaluation of damage.
 - (b) Debriefing of uncleared personnel.
 - (c) Repairs made.
 - (d) Any additional data.
- (9) Special information:
 - (a) Foreign nationals involved.
 - (b) Any media/press coverage that may have occurred.
 - (c) Any photographs taken and by whom.
 - (d) Point of contact.

b. Timeliness of the report is critical. The initial report does not have to be complete, but it must be submitted as quickly as possible. Delaying a report of breached armor can allow a compromise to occur. Measures taken to safeguard the damaged armor are to be included in the report.

c. Personnel, regardless of rank, title, or position, who are inadvertently exposed to Abrams classified information (to include observation of damaged areas of special armor components) who are not authorized to have access or who do not have the necessary security clearance, will be debriefed by executing DA Form 5750-R.

d. Non-U.S. citizens who are required to complete DA Form 5750-R who do not have a working knowledge of the English language will be provided with a translator to explain the Inadvertent Disclosure Oath to them and to serve as a translator during the debriefing.

e. Execution of DA Form 5750-R will be reported to 8th US Army G2 Security Manager, within 24 hours of the incident. A copy of the preliminary Inquiry in to the incident and the original copy of DA Form 5750-R will subsequently be forwarded to HQ 8th US Army G2 ATTN: Security Manager, APO 96205-0009.

5-5. Evacuation Procedures For Damaged Components

a. The owning unit of the damaged special armor component will assess the extent of damage to determine whether it can be repaired within Korea or must be evacuated to CONUS. Under no circumstances may foreign national maintenance personnel repair damaged special armor components.

b. Should it be necessary to evacuate special armor components due to damage that cannot be repaired on location, the 8th US Army G2 Security Manager, will be notified before the component is shipped.

c. Pack and seal unserviceable components in a sealed container (wood/metal box). The inner container will be marked "SPECIAL HANDLING REQUIRED."

d. A continuous receipting system must be maintained at all times.

e. The sealed container will be addressed to:

Commander
Aberdeen Proving Ground
RTTN: STEAD-MT-A
Aberdeen Proving Ground, MD 21005

f. Before shipping damaged components back to CONUS, the owning unit will provide the 8th US Army G2 Security Manager, the following information:

- (1) Owing unit to of the damaged component.
- (2) National stock number of damaged component.
- (3) Date component was shipped to Pusan.
- (4) Proposed shipping date of the component from Port of Pusan.

Chapter 6 Transportation Security

6-1. General

a. Specific information pertaining to shipments of the Abrams Tank, to include plans, dates, routes, final destination, etc., is "Sensitive Unclassified" information and will be protected as For Official Use Only. Organizations involved in Abrams shipments will disseminate such information on a "need-to-know" basis.

b. The owning unit is responsible for security for the transport of the Abrams Tank. Procedures for transport of the Abrams Tank are outlined in the PEO of GSC standards.

c. Due to the sensitive nature of the Abrams Tank, the U.S. Army Materiel Support Command-Korea (MSC-K) is to be notified in advance of a shipment of an Abrams Tanks to them, whether the shipment is for general support maintenance or evacuation to CONUS.

d. When transporting the Abrams under other than its own power, vehicle preparations for movement under the PEO of GCS standards will be followed, to include completion of a pre-shipment inspection checklist (see appendix O) for each tank.

6-2. Rail Movement-Inspections

a. Pre-movement inspection.

(1) The upper portion of the checklist at appendix B will be completed for each tank prior to movement.

(2) Completed checklists will be retained by the OIC/NCOIC or designee accompanying the shipment.

(3) Checklists will be surrendered to the receiving organization at the destination.

(4) In addition to the pre-movement inspection, each tank will receive a security inspection to ensure that measures to safeguard the shipment have been followed.

b. Destination inspection.

(1) The lower portion of the inspection checklist for each shipment will be completed in coordination with escort personnel and the receiving unit. Discrepancies will be noted on the checklist and reported to the receiving unit security manager or S2 and 8th US Army G2 Chief of Security, (phone: 723-3378).

(2) Appropriately cleared U.S. military or DoD civilian guard or escort personnel in coordination with the receiving unit will perform a security inspection of each tank prior to off-loading to determine if any tampering occurred during the shipment. If there is evidence of the tank's interior having been entered, the interior will also be closely examined.

(3) Any damage or incident will be reported to the receiving unit security manager or S2 and 8th US Army G2 Chief of Security, (phone: 723-3378/723-8048).

(4) Appropriately cleared U.S. military or DoD civilian personnel guarding the tanks during rail movement will remain in visual sight of the tanks at all times. If this not possible, the tanks will be checked at stops along the route.

6-3. Unit Movement

a. Unit guards or tank crews will ensure that unauthorized non-U.S. citizen personnel are kept at a secure distance from tanks during unit movements.

b. When the Abrams Tanks are being transported by means other than under its own power, the checklist at appendix B will be completed.

c. Should a breakdown occur while the tank is under its own power, at least one appropriately cleared U.S. tank crew member or an appropriately cleared U.S. military guard will remain with the tank while other personnel obtain assistance. The disabled tank will not be moved without at least one appropriately U.S. military guard accompanying the tank.

**Appendix A
DA Form 5750 (Inadvertent Disclosure Oath)**

INADVERTENT DISCLOSURE OATH

For use of this form, see AR 380-381; the proponent agency is OCSA

Data required by the Privacy Act of 1974

Authority	Title 10, U.S.C. 3013.
Principal Purpose	Obtain accountability information for inadvertent access to SAP information provide safeguard warning.
Routine Uses	Make record of cases when inadvertent access to SAP data has taken place.
Disclosure	Disclosure of information is voluntary. Failure to provide information may impeded complete and proper identification.

I certify that I shall never divulge the classified information inadvertently exposed to me and I will not reveal to any person my knowledge of the existence of such information. I understand that transmission or revelation of this information in any manner to an unauthorized person may be punishable under U.S. Code, Title 18, Sections 793 and 794 and/or appropriate articles of the Uniform Code of Military Justice. I further certify that I shall never attempt to gain unauthorized access to such information. My signature below does not constitute indoctrination into the program or clearance for the program but acknowledges my understanding of the above.

WITNESSING OFFICIAL: <hr/> (Signature) (Date) <hr/> (Signature) (Date) <hr/> (Printed Name) <hr/> (Printed Name) <hr/> Position/ Organization	<hr/> (Signature) (Date) <hr/> (Printed Name) <hr/> (SSN) <hr/> Organization/Telephone Number/Position
--	--

PRIVACY ACT STATEMENT

DA FORM 5750, MAR 2004

**Appendix B
Abrams Pre-Shipment Inspection Unit Movement Shipment**

DATE: _____

Vehicle Serial No. Railcar No. _____

Railcar No. _____

Padlock/Seal No. _____

- | | | |
|---|-----|----|
| 1. Special Armor skirts secured with hardened bolts, nuts, and lock washers. | YES | NO |
| 2. Security banding over loader's hatch in place. | YES | NO |
| 3. Logbook placed inside hatch. | YES | NO |
| 4. Loader's hatch secured (Trans-Lock bolt seal, padlock or bolt and nut utilized). | YES | NO |
| 5. Other hatches secured from the inside. | YES | NO |
| 6. Batteries disconnected. | YES | NO |
| 7. Vehicle tied down according to plan. | YES | NO |

Remarks, if any (continue on reverse)

Individual Performing Inspection _____

INSPECTION AT DESTINATION

DATE: _____

Vehicle Serial No. _____

Railcar No. _____

Padlock/Seal No. _____

- | | | |
|--|-----|----|
| 1. Special Armor skirts secured with hardened bolts, nuts, and lock washers. | YES | NO |
| 2. Security banding over loader's hatch in place. | YES | NO |
| 3. Logbook placed inside hatch. | YES | NO |
| 4. Loader's hatch secured (Trans-Lock bolt seal, padlock or bolt and nut utilized) | YES | NO |
| 5. Other hatches secured from the inside. | YES | NO |
| 6. Batteries disconnected. | YES | NO |
| 7. Vehicle tied down according to plan. | YES | NO |
| 8. Remarks, if any (continue on reverse) | | |

Individual Performing Inspection _____

RETURN TO:

Glossary
Abbreviation

ACofS	Assistant Chief of Staff
AFKN	America Forces Korea Network
CFC	Combined Forces Command
CONUS	Continental United States
DCII	Defense Central Index of Investigations
DOD	Department of Defense
DU	Depleted Uranium
EUSA/OCP-K	Eighth United States Army/Operational Command Post-Korea
GS	General Support
IPMI	Abrams Tank System (Improved M1)
ITO	International Treaty Observer
KATUSA	Korean Augmentation to United States Army
KID	Korean Identification
LI	Limited Investigation
NCOIC	Noncommissioned Officer in Charge
OIC	Officer in Charge
PAO	Public Affairs Office(r)
PEO	Program Executive Officer
POE	Port of Entry
USFK	United States Forces, Korea
ROK	Republic of Korea
SDO	Staff Duty Officer
SSN	Social Security Number
TACOM	United States Army Tank-Automotive Command